

Specifications

All listed specifications are for convenience only and are subject to change without notice.
Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS5000							
RS5001	LS41	LS37	13.250	21.125†	7.875	None	NONE
RS5005	LS39	L2	17.250	28.875†	11.625	None	NONE
RS5006	L1	L1	11.750	18.000†	6.250	None	P915P1057
RS5007	L1	LS26	14.875	24.250†	9.375	None	NONE
RS5008	L1	L1	13.750	22.500†	8.750	None	P915P1057
RS5009	S42	LS38	15.625	26.250†	10.625	None	P1134
RS5010	L1	L1	15.875	26.250†	10.375	None	P915P920P1057
RS5012	L1	L1	19.000	32.500†	13.500	None	P915P934
RS5014	S42	S42	14.750	24.875†	10.125	None	Two P1134
RS5017	S42	LS38	15.125	25.250†	10.125	None	P1135
RS5019	S33	L1	9.625	14.250†	4.625	None	P438P1013
RS5029	S42	LS26	9.625	14.250†	4.625	None	P1135
RS5034	L1	L1	20.000	34.000†	14.000	None	P915P1013
RS5036	L1	L1	21.125	36.000†	14.875	None	P915P1013
RS5039	S42	L1	9.625	14.250†	4.625	None	P1013P1134
RS5111	L1	L1	12.875	20.250†	7.375	None	NONE
RS5112	L1	L1	16.000	26.250†	10.250	None	NONE
RS5113	L1	L1	12.875	20.250†	7.375	None	P916
RS5114	L2	L2	15.125	26.625†	11.500	None	P939
RS5115	S42	L1	13.000	20.750†	7.750	None	P910P1134
RS5116	L1	L1	14.875	24.000†	9.125	None	P916
RS5117	S42	L1	12.000	18.750†	6.750	None	P910P1134
RS5118	L1	L1	14.000	22.250†	8.250	None	P912P915P1013
RS5119	L1	L1	11.750	18.000†	6.250	None	P916P925
RS5120	L1	LS36	9.750	14.000†	4.250	None	P915P953
RS5123	LS39	LS39	11.750	18.000†	6.250	None	NONE
RS5124	XP7	LS47	14.625	23.500†	8.875	None	NONE
RS5125	L1	LS26	14.000	22.250†	8.250	None	P920
RS5126	L1	LS26	16.000	26.250†	10.250	None	P920
RS5128	S42	XP4	13.000	20.875†	7.875	None	P1136
RS5129	XP12	L1	12.875	20.000†	7.125	None	NONE
RS5131	LS41	LS37	13.250	21.000†	7.750	None	NONE
RS5132	L1	L1	16.000	26.250†	10.250	None	Two P911
RS5134	L1	L1	19.000	32.625†	13.625	None	P915P934
RS5135	S42	S42	12.125	19.625†	7.500	None	Two P1135
RS5136	S42	L1	11.250	17.375†	6.125	None	P910P1134
RS5138	S42	LS26	13.000	20.750†	7.750	None	P1135
RS5139	S42	LS26	12.000	18.750†	6.750	None	P864P1135
RS5140	L3	LS38	12.875	20.250†	7.375	None	P120
RS5141	L1	L1	10.125	14.625†	4.500	None	NONE
RS5142	S34	XP8	8.750	13.125	4.375	None	P171
RS5143	L3	L3	15.500	25.250†	9.750	None	P119
RS5144	L3	L3	14.125	22.375†	8.250	None	P119
RS5145	S42	LS82	9.375	13.375†	4.000	None	P1134
RS5146	S42	XP5	9.375	14.125†	4.750	None	P1134
RS5147	LS74	LS74	14.750	23.125†	8.375	None	NONE
RS5148	L1	L1	11.750	18.125†	6.375	None	P951
RS5150	LS77	LS39	11.500	16.125†	4.625	None	NONE
RS5151	LS41	LS37	12.125	18.750†	6.625	None	NONE
RS5152	LS77	LS39	11.625	17.750†	6.125	None	NONE
RS5153	S33	L1	9.625	14.250†	4.625	None	P438P946
RS5154	S42	XP4	9.250	13.625†	4.375	None	P1135
RS5155	LS28	LS26	11.750	18.000†	6.250	None	NONE
RS5156	S42	XP5	8.500	12.125†	3.625	None	P1134
RS5157	L3	S51	13.625	22.000†	8.375	None	P967P1167

† Bumper Stop Unit. Dimension shown at Bumper Contact.

All listed specifications are for convenience only and are subject to change without notice.
 Specifications are not intended for design of custom applications.

Specifications

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
 Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS5000 — Continued							
RS5158	S42	L3	13.000	20.875†	7.875	None	P120P1134
RS5159	S12	S12	12.750	21.000†	8.250	None	P969
RS5160	S42	S42	10.750	16.875†	6.125	None	Two P1134
RS5161	LS51	S51	15.000	24.625†	9.625	None	P1068
RS5162	S51	LS70	14.000	22.625†	8.625	None	P1069
RS5163	L3	L3	10.750	15.625†	4.875	None	P119
RS5164	L3	L3	12.000	18.125†	6.125	None	P119
RS5165	LS26	LS26	14.000	22.250†	8.250	None	NONE
RS5166	S42	XP5	9.500	13.750†	4.250	None	P1134
RS5167	S42	L1	10.250	15.250†	5.000	None	P1134
RS5168	S42	LS38	15.250	25.250†	10.000	None	P1135
RS5169	L3	L3	12.750	19.625†	6.875	None	P119P967
RS5179	S42	L1	13.875	22.250†	8.375	None	P920P1135
RS5180	L3	L3	13.625	21.500†	7.875	None	P119
RS5181	XP8	LS39	14.000	22.250†	8.250	None	NONE
RS5182	S42	S42	11.375	18.125†	6.750	None	Two P1134
RS5183	S42	L3	11.000	16.750†	5.750	None	P120P1134
RS5184	L3	L3	13.000	20.250†	7.250	None	P119
RS5185	XP7	LS26	15.250	25.375	10.125	None	P941
RS5186	S42	L1	13.375	21.500†	8.125	None	P1134
RS5187	S42	L3	13.000	20.750†	7.750	None	P120P1134
RS5188	S42	LS23	8.375	12.500	4.125	None	P1134
RS5190	XP7	LS47	15.875	26.250†	10.375	None	NONE
RS5193	XP7	LS47	14.125	22.875†	8.750	None	NONE
RS5194	L1	LS25	14.375	23.250†	8.875	None	NONE
RS5195	S51	LS47	9.500	13.750†	4.250	None	P1167
RS5197	S51	LS47	13.750	21.250†	7.500	None	P1167
RS5198	LS47	LS47	15.000	24.375†	9.375	None	NONE
RS5199	S42	XP8	9.000	13.375	4.375	None	P1135
RS5201	S42	S42	11.500	18.500†	7.000	None	Two P1135
RS5202	L3	L3	14.750	23.625†	8.875	None	P575
RS5203	L1	LS82	12.375	19.125†	6.750	None	NONE
RS5204	S42	S42	11.375	18.500†	7.125	None	Two P1134
RS5205	L1	L1	13.875	22.250†	8.375	None	NONE
RS5206	S42	L3	13.625	21.625†	8.000	None	P120P1134
RS5207	S51	S51	14.250	23.375†	9.125	None	Two P1167
RS5208	S51	L3	14.000	22.500†	8.500	None	P120P1167
RS5213	S42	LS24	11.750	18.375†	6.625	None	P1134
RS5214	S42	LS23	9.700	14.990†	5.290	None	P1134
RS5215	LS78	L3	12.750	19.750†	7.000	None	P120
RS5221	S51	LS47	14.500	23.625†	9.125	None	P1167
RS5222	S42	XP5	9.000	13.625	4.625	None	P1134
RS5223	S42	LS24	9.000	13.000†	4.000	None	P1134
RS5225	LS47	LS47	16.250	26.875†	10.625	None	NONE
RS5226	L3	L3	13.125	20.375	7.250	None	P119
RS5227	XP7	LS47	17.375	28.875†	11.500	None	NONE
RS5229	S42	XP4	13.750	18.250†	4.500	None	P941P1135
RS5233	S42	LS39	9.750	14.250†	4.500	None	P1136
RS5234	S42	LS26	15.750	27.000	11.250	None	P1135
RS5235	S51	XP5	10.250	14.875†	4.625	None	P1167
RS5236	S42	LS26	14.375	24.000	9.625	None	P1135
RS5237	S42	LS39	11.625	18.000†	6.375	None	P1136
RS5238	S42	LS26	16.500	28.500	12.000	None	P1136
RS5239	S42	XP4	14.375	23.750†	9.375	None	P1136

† Bumper Stop Unit. Dimension shown at Bumper Contact.

Rancho only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho shock absorber will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications

All listed specifications are for convenience only and are subject to change without notice.
Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS5000 — Continued							
RS5240	XP12	L1	12.250	19.000†	6.750	None	P920
RS5241	XP12	LS37	13.500	21.500†	8.000	None	P920
RS5244	LS77	LS39	13.000	19.000†	6.000	None	NONE
RS5246	LS26	LS26	14.250	23.000†	8.750	None	NONE
RS5247	S42	LS43	14.500	24.125	9.625	None	P1135
RS5248	LS28	LS28	15.375	24.625†	9.250	None	NONE
RS5251	S42	LS43	15.750	27.000	11.250	None	P1134
RS5252	S33	LS23	9.635	14.250†	4.615	None	P438
RS5254	L1	LS26	18.125	30.750	12.625	None	NONE
RS5255	S42	XP4	15.750	26.375†	10.625	None	P1136
RS5256	XP12	L1	15.000	24.625†	9.625	None	P920
RS5259	L1	LS25	13.500	21.500†	8.000	None	NONE
RS5261	L1	LS26	19.125	33.000	13.875	None	NONE
RS5262	LS47	LS47	15.750	25.625†	9.875	None	NONE
RS5263	S42	XP5	9.875	14.500†	4.625	None	P1135
RS5264	L1	LS53	15.375	24.375†	9.000	None	NONE
RS5265	S42	SPEC	10.875	15.375†	4.500	None	P1135
RS5267	L1	LS53	14.250	22.750†	8.500	None	NONE
RS5268	S42	SPEC	13.875	20.750†	6.875	None	P1269
RS5269	LS47	LS47	16.500	27.250†	10.750	None	NONE
RS5272	S51	L1	10.250	15.000†	4.750	None	NONE
RS5273	L1	LS53	16.625	28.000	11.375	None	NONE
RS5274	LS47	LS47	16.000	26.000†	10.000	None	NONE
RS5281	S51	XP12	9.625	14.125†	4.500	None	P1167
RS5282	S51	LS47	11.000	15.875†	4.875	None	P1167
RS5283	S51	LS47	12.500	19.150†	6.650	None	P1167
RS5288	S51	LS42	12.500†	15.125†	2.625	None	P1167
RS5289	S51	LS42	15.500†	21.625†	6.125	None	P1167
RS5295	S51	LS42	10.375	15.125†	4.750	None	P1167
RS5296	S51	LS42	13.375	21.625†	8.250	None	P1167
RS5297	LS47	LS47	18.000	30.375†	12.375	None	NONE
RS5298	LS38	LS38	10.875	16.750	5.875	None	NONE
RS5601	L1	L1	12.250	19.750†	7.500	None	NONE
RS5602	S42	XP1	8.875	13.375†	4.500	None	P1134
RS5604	L1	S42	11.875	19.250†	7.375	None	P1134
RS5605	S42	LS23	8.875	13.750	4.875	None	P1134
RS5606	S42	LS37	9.750	15.000	5.250	None	P1135
RS5607	S41	S41	12.250	19.625†	7.375	None	Two P1134
RS5609	S42	XP5	9.125	14.375	5.250	None	P1134
RS5761	S51	LS43	13.500	18.125†	4.625	None	P1167
RANCHO RS9000X							
RS99001	L1	L1	13.625	20.750†	7.125	None	P816P976
RS99005	L1	L2	17.500	28.625†	11.125	None	P934
RS99006	L1	L1	11.750	17.375†	5.625	None	P915P927P1057
RS99007	L1	LS26	15.000	23.750†	8.750	None	NONE
RS99008	L1	L1	13.875	21.500†	7.625	None	P920P1020
RS99009	S42	LS38	16.000	26.125†	10.125	None	P1192
RS99010	L1	L1	16.125	26.000†	9.875	None	P920P1057
RS99012	L1	L1	19.375	32.250†	12.875	None	P915P934
RS99014	S42	S42	15.000	24.625†	9.625	None	Two P1192
RS99017	S42	L1	15.500	25.125†	9.625	None	P829P1192
RS99029	S42	LS26	10.375	14.500†	4.125	None	P1192

† Bumper Stop Unit. Dimension shown at Bumper Contact.

All listed specifications are for convenience only and are subject to change without notice.
 Specifications are not intended for design of custom applications.

Specifications

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
 Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS9000X — Continued							
RS99034	L1	L1	20.125	34.000†	13.875	None	P915P1013
RS99036	L1	L1	21.125	36.125†	15.000	None	P915P1013
RS99039	S42	L1	10.375	14.500†	4.125	None	P1013P1192
RS99111	L1	L1	13.125	20.000†	6.875	None	NONE
RS99112	L1	L1	16.125	26.000†	9.875	None	P913P915P1013
RS99113	L1	L1	13.125	20.000†	6.875	None	P916
RS99114	L2	L2	15.375	24.250†	8.875	None	P939
RS99115	S42	L1	13.250	20.625†	7.375	None	P910P1192
RS99116	L1	L1	15.000	23.750†	8.750	None	P916P1013
RS99117	S42	L1	12.250	18.625†	6.375	None	P910P1192
RS99118	L1	L1	14.250	22.125†	7.875	None	P910P912P1013
RS99119	L1	L1	11.625	17.375†	5.750	None	P916
RS99120	L1	L1	9.750	13.500†	3.750	None	P915P916
RS99123	LS39	LS39	11.625	17.375†	5.750	None	NONE
RS99124	XP7	LS47	15.000	23.750†	8.750	None	NONE
RS99125	L1	LS26	14.375	22.250†	7.875	None	NONE
RS99126	L1	LS26	16.125	26.000†	9.875	None	NONE
RS99128	S42	XP4	13.250	20.500†	7.250	None	P941P1270
RS99129	XP12	L1	13.125	19.875†	6.750	None	NONE
RS99136	S42	L1	11.375	16.750†	5.375	None	P910P1013P1192
RS99138	S42	LS26	13.250	20.625†	7.375	None	P1192
RS99143	L3	L3	15.875	25.000†	9.125	None	NONE
RS99144	L3	L3	14.250	21.875†	7.625	None	NONE
RS99145	S42	LS82	9.625	13.375†	3.750	None	P1192
RS99147	LS74	LS74	14.875	23.000†	8.125	None	NONE
RS99150	LS77	LS39	11.500	15.750†	4.250	None	NONE
RS99151	L1	L1	12.375	18.500†	6.125	None	P976
RS99152	LS77	LS39	12.250	17.875†	5.625	None	NONE
RS99155	LS28	LS26	11.625	17.375†	5.750	None	NONE
RS99156	S42	XP5	8.750	11.625†	2.875	None	P1192
RS99157	L3	S51	14.000	22.000†	8.000	None	P967P1271
RS99158	S42	L3	13.375	20.750†	7.375	None	P1192
RS99159	S12	S12	13.000	21.000†	8.000	None	P969
RS99165	L1	L1	14.375	22.250†	7.875	None	P1059
RS99166	S42	XP5	9.750	13.750†	4.000	None	P1192
RS99168	S42	LS38	15.500	25.125†	9.625	None	P1192
RS99179	S42	L1	14.000	22.375†	8.375	None	P974P1192
RS99180	L3	L3	13.875	21.125†	7.250	None	NONE
RS99185	XP7	LS26	16.125	26.000†	9.875	None	P941
RS99186	S42	L1	13.125	20.375†	7.250	None	P974
RS99187	S42	L3	13.250	20.500†	7.250	None	P1192
RS99188	S42	LS23	8.875	12.375	3.500	None	P1192
RS99190	XP7	LS47	16.375	26.250†	9.875	None	NONE
RS99193	XP7	LS47	14.625	22.875†	8.250	None	NONE
RS99194	L1	LS25	14.625	23.125†	8.500	None	NONE
RS99195	S51	LS47	9.875	13.750†	3.875	None	P1271
RS99197	S51	LS47	14.000	21.375†	7.375	None	P1271
RS99198	LS47	LS47	15.750	25.000†	9.250	None	NONE
RS99201	S42	S42	11.875	18.500†	6.625	None	Two P1192
RS99202	L3	L3	15.125	23.625†	8.500	None	P888
RS99204	S42	S42	11.625	17.875†	6.250	None	Two P1192
RS99205	L1	L1	14.250	22.125†	7.875	None	NONE
RS99207	S51	S51	14.500	23.250†	8.750	None	Two P1271
RS99208	S51	L3	14.625	23.250†	8.625	None	P1271

† Bumper Stop Unit. Dimension shown at Bumper Contact.

Rancho only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho shock absorber will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

Specifications

All listed specifications are for convenience only and are subject to change without notice.
Specifications are not intended for design of custom applications.

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS9000X — Continued							
RS99213	S42	LS82	12.000	18.125†	6.125	None	P1192
RS99214	S42	LS23	10.375	14.500†	4.125	None	P1192
RS99215	LS78	L3	12.875	19.125†	6.250	None	NONE
RS99221	S51	LS47	15.000	23.250†	8.250	None	P1271
RS99223	S42	LS24	9.375	13.000†	3.625	None	P1192
RS99226	L3	L3	13.000	19.500†	6.500	None	NONE
RS99227	XP7	LS47	16.750	27.250†	10.500	None	NONE
RS99229	S42	XP4	13.875	18.000†	4.125	None	P941P1192
RS99233	S51	LS39	10.250	14.500†	4.250	None	P1271
RS99234	S42	LS26	16.125	27.000	10.875	None	P1192
RS99235	S51	XP5	10.500	14.875†	4.375	None	P1271
RS99236	S42	LS26	14.625	23.875	9.250	None	P1192
RS99237	S51	LS39	12.000	18.000†	6.000	None	P1271
RS99238	S42	LS26	17.250	28.625†	11.375	None	P1192
RS99239	S42	XP4	14.500	23.125†	8.625	None	P1192
RS99240	XP12	LS24	12.750	19.125†	6.375	None	NONE
RS99241	XP12	LS24	13.625	20.875†	7.250	None	NONE
RS99243	S42	LS43	17.250	28.625†	11.375	None	P1192
RS99244	LS77	LS39	14.125	21.750†	7.625	None	NONE
RS99246	LS26	LS26	14.625	23.125†	8.500	None	NONE
RS99247	S42	LS43	14.625	23.875	9.250	None	P1192
RS99248	LS28	LS28	15.125	24.000†	8.875	None	NONE
RS99251	S42	LS43	16.125	27.000	10.875	None	P1192
RS99254	L1	LS26	18.250	30.750	12.500	None	NONE
RS99255	S42	XP4	15.875	25.875†	10.000	None	P1270
RS99256	XP12	LS24	15.125	24.000†	8.875	None	NONE
RS99259	L1	LS25	13.875	21.500†	7.625	None	NONE
RS99260	LS29	LS25	13.875	21.500†	7.625	None	NONE
RS99261	L1	LS26	19.250	32.875	13.625	None	NONE
RS99262	LS47	LS47	15.125	23.875†	8.750	None	NONE
RS99263	S42	XP5	10.125	14.375†	4.250	None	P1192
RS99264	L1	LS26	15.625	24.375†	8.750	None	NONE
RS99265	S42	SPEC	11.000	15.250†	4.250	None	P1192
RS99266	XP7	LS26	16.875	28.125	11.250	None	NONE
RS99267	L1	LS26	14.500	22.250†	7.750	None	NONE
RS99268	S42	SPEC	13.875	20.750†	6.875	None	P1192
RS99269	LS47	LS47	16.875	27.250†	10.375	None	NONE
RS99270	S51	XP5	13.375	20.750†	7.375	None	P1271
RS99272	S51	L1	10.375	14.875†	4.500	None	P1271
RS99273	L1	LS26	16.875	28.125	11.250	None	NONE
RS99274	LS47	LS47	16.375	26.250†	9.875	None	NONE
RS99275	XP7	LS26	19.375	32.875	13.500	None	NONE
RS99276	S51	LS47	11.750	17.500†	5.750	None	P1271
RS99278	XP7	LS26	15.500	25.125	9.625	None	NONE
RS99281	S51	XP12	9.875	14.125†	4.250	None	P1271
RS99282	S51	LS47	11.375	15.875†	4.500	None	P1271
RS99283	S51	LS47	13.000	19.250†	6.250	None	P1271
RS99288	S51	LS42	12.750†	15.250†	2.500	None	P1271
RS99289	S51	LS42	15.875†	21.625†	5.750	None	P1271
RS99295	S51	LS42	10.625	15.250†	4.625	None	P1271
RS99296	S51	LS42	13.750	21.625†	7.875	None	P1271
RS99297	LS47	LS47	18.500	30.500†	12.000	None	NONE
RANCHO RSX17000 SHOCK							
RSX17000	LS39	LS39	11.125	16.500†	5.375	None	NONE

† Bumper Stop Unit. Dimension shown at Bumper Contact.

All listed specifications are for convenience only and are subject to change without notice.
 Specifications are not intended for design of custom applications.

Specifications

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
 Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RSX17000 SHOCK — Continued							
RSX17001	XP7	LS47	14.625	24.000	9.375	None	NONE
RSX17002	L2	L2	13.250	21.125	7.875	None	NONE
RSX17003	LS39	L2	15.875	26.375	10.500	None	NONE
RSX17004	LS28	LS28	15.375	24.625†	9.250	None	NONE
RSX17005	L1	L1	11.875	18.125	6.250	None	P1265
RSX17006	L1	L1	12.750	19.625	6.875	None	NONE
RSX17007	L1	LS38	13.000	20.250†	7.250	None	P1267
RSX17008	L1	L1	13.250	21.125	7.875	None	P1266
RSX17009	L1	LS26	15.000	24.875	9.875	None	NONE
RSX17010	S42	LS26	10.000	14.750†	4.750	None	P1269
RSX17011	S42	LS43	14.375	24.000	9.625	None	P1269
RSX17012	LS26	LS26	14.125	22.375†	8.250	None	NONE
RSX17013	L1	LS26	15.875	26.500	10.625	None	NONE
RSX17014	S51	XP5	10.250	14.875†	4.625	None	P1271
RSX17015	S42	LS26	14.375	24.000	9.625	None	P1269
RSX17016	L1	LS26	13.500	21.750	8.250	None	NONE
RSX17017	S42	L1	10.000	14.500†	4.500	None	P1269
RSX17018	XP7	LS26	15.375	25.375	10.000	None	P941
RSX17019	S42	L2	11.625	18.500	6.875	None	P1269
RSX17020	S42	LS39	9.875	14.375†	4.500	None	P1269
RSX17021	S42	XP4	13.750	18.250†	4.500	None	P941P1269
RSX17022	L1	LS26	14.250	23.000	8.750	None	NONE
RSX17023	LS26	LS26	14.500	23.125†	8.625	None	NONE
RSX17024	S42	LS26	15.875	27.000	11.125	None	P1269
RSX17025	S42	LS26	10.625	15.875†	5.250	None	P1269
RSX17026	S42	LS26	10.250	15.000†	4.750	None	P1269
RSX17027	S42	LS43	16.125	27.625†	11.500	None	P1269
RSX17028	L1	LS26	14.125	22.375†	8.250	None	NONE
RSX17029	L1	LS26	14.375	23.125	8.750	None	P827
RSX17030	L1	LS26	16.125	26.375	10.250	None	P827
RSX17031	S51	LS47	9.750	13.875†	4.125	None	P1271
RSX17032	LS47	LS47	14.875	23.750†	8.875	None	NONE
RSX17033	S51	LS47	13.750	21.250†	7.500	None	P1271
RSX17036	S42	XP4	12.875	20.500†	7.625	None	P1270
RSX17037	L1	LS25	13.500	21.125†	7.625	None	NONE
RSX17038	S42	LS38	14.500	24.375	9.875	None	P1269
RSX17039	L1	LS38	12.125	18.375	6.250	None	NONE
RSX17040	XP12	LS37	12.750	19.625†	6.875	None	NONE
RSX17041	S42	XP4	13.250	21.125†	7.875	None	P1270
RSX17043	XP12	L1	12.875	19.750†	6.875	None	NONE
RSX17044	LS77	LS39	11.250	16.625†	5.375	None	NONE
RSX17045	XP7	LS47	16.125	26.375†	10.250	None	NONE
RSX17046	S42	XP5	9.500	13.750†	4.250	None	P1268
RSX17047	XP7	LS47	15.500	25.250†	9.750	None	NONE
RSX17048	XP7	LS47	14.875	23.625†	8.750	None	NONE
RSX17049	XP7	LS47	14.125	22.375†	8.250	None	NONE
RSX17050	S42	XP4	8.500	12.250	3.750	None	P1268
RSX17051	L1	LS36	10.000	14.750	4.750	None	P19
RSX17052	LS26	LS26	13.750	21.750†	8.000	None	NONE
RSX17053	S42	LS26	11.625	18.500	6.875	None	P864P1269
RSX17054	S42	LS26	10.000	14.500†	4.500	None	P1269
RSX17058	LS40	LS40	13.250	21.000	7.750	None	NONE
RSX17060	S42	XP4	9.000	13.375	4.375	None	P1268
RSX17061	LS37	LS37	11.750	18.125	6.375	None	P816
RSX17062	L1	LS47	14.125	22.750	8.625	None	P19
RSX17065	L1	L1	14.375	23.000	8.625	None	NONE

† Bumper Stop Unit. Dimension shown at Bumper Contact.

Rancho only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho shock absorber will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.

All listed specifications are for convenience only and are subject to change without notice.
 Specifications are not intended for design of custom applications.

Specifications

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
 Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RSX17000 SHOCK — Continued							
RSX17068	S42	SPEC	10.875	15.375†	4.500	None	P1269
RSX17069	LS47	LS47	15.625	25.375†	9.750	None	NONE
RSX17070	S42	XP5	9.875	14.500†	4.625	None	P1268
RSX17071	L1	LS26	14.250	22.750†	8.500	None	NONE
RSX17072	L1	LS26	19.375	30.500†	11.125	None	NONE
RSX17073	LS29	LS25	13.875	21.750†	7.875	None	NONE
RSX17075	L1	LS26	16.625	28.000	11.375	None	NONE
RSX17076	S51	L1	10.250	15.000†	4.750	None	P1271
RSX17077	XP7	LS26	16.875	28.250	11.375	None	NONE
RSX17078	XP7	LS26	15.250	25.125	9.875	None	NONE
RSX17079	S51	LS42	10.375	15.125†	4.750	None	P1271
RSX17080	LS52	LS28	13.875	22.125†	8.250	None	NONE
RSX17121	LS52	LS30	14.750	23.250†	8.500	None	NONE
RSX17122	LS74	LS52	15.125	24.250†	9.125	None	NONE
RSX17123	S42	LS12	8.250	11.875	3.625	None	P1268
RSX17124	L1	L1	13.875	22.500	8.625	None	NONE
RSX17301	L1	LS26	15.000	24.625	9.625	None	NONE
RSX17302	S42	LS26	12.000	18.750†	6.750	None	P1269
RSX17303	S42	L1	14.000	22.875	8.875	None	P1269
RSX17304	L2	L2	15.250	25.000	9.750	None	NONE
RSX17305	S42	LS26	11.375	17.125†	5.750	None	P1269
RSX17306	LS28	LS28	16.250	26.625†	10.375	None	NONE
RSX17307	LS47	LS47	15.375	25.250	9.875	None	NONE
RSX17308	S51	LS47	14.750	23.250†	8.500	None	P1271
RSX17309	LS39	LS39	13.750	22.375	8.625	None	NONE
RSX17310	L1	LS26	16.000	26.875	10.875	None	NONE
RSX17311	S42	LS26	17.500	29.125	11.625	None	P1269
RSX17312	L1	LS26	14.000	22.750	8.750	None	NONE
RSX17313	S42	L1	11.125	16.875†	5.750	None	P1269
RSX17314	XP7	LS26	16.125	26.875	10.750	None	NONE
RSX17315	XP7	LS47	17.250	28.750†	11.500	None	NONE
RSX17316	LS77	LS39	13.750	21.625†	7.875	None	NONE
RSX17317	S42	XP4	14.500	23.750†	9.250	None	P1270
RSX17318	XP12	L1	14.375	22.875†	8.500	None	NONE
RSX17319	L1	L1	12.375	19.625	7.250	None	P1265
RSX17320	L1	L1	14.000	22.250	8.250	None	NONE
RSX17321	L1	LS38	13.000	20.750	7.750	None	P1267
RSX17322	L1	L1	14.000	22.625	8.625	None	P1266
RSX17324	L1	LS25	14.375	22.875†	8.500	None	NONE
RSX17326	XP12	LS37	13.500	21.000†	7.500	None	NONE
RSX17327	S42	LS38	15.250	25.250†	10.000	None	P1269
RSX17328	L1	LS38	14.000	22.250†	8.250	None	NONE
RSX17329	S42	LS39	11.750	18.000†	6.250	None	P1269
RSX17330	LS39	L2	17.500	29.000	11.500	None	NONE
RSX17331	S42	LS43	18.000	29.125	11.125	None	P1269
RSX17332	LS26	LS26	15.875	25.875†	10.000	None	NONE
RSX17337	S42	SPEC	13.875	20.750†	6.875	None	P1269
RSX17338	LS47	LS47	17.000	27.875†	10.875	None	NONE
RSX17339	S42	XP4	15.750	26.125†	10.375	None	P1270
RSX17340	XP12	LS37	15.125	24.375†	9.250	None	NONE
RSX17341	L1	LS26	15.375	24.375†	9.000	None	NONE
RSX17342	L1	LS26	19.125	32.375†	13.250	None	NONE
RSX17344	S51	XP5	14.500	20.750†	6.250	None	P1271
RSX17345	S42	XP4	12.875	20.375†	7.500	None	P1270
RSX17346	LS47	LS47	15.875	25.750†	9.875	None	NONE

† Bumper Stop Unit. Dimension shown at Bumper Contact.

All listed specifications are for convenience only and are subject to change without notice.
 Specifications are not intended for design of custom applications.

Specifications

NOTE: Internal extension bumper may reduce perceived extended length by 1/2".
 Extended and collapsed length dimensions shown for RS5000 shocks, others may vary slightly.

PART NO.	MOUNTING CODES		LENGTHS			DUST SHIELD	PARTS PACK
	Upper	Lower	Comp.	Ext.	Trav.		
RANCHO RS5400 PREMIUM SHOCK							
RS5401	L1	L1	12.125	19.250	7.125	None	P829P837P920
RS5402	S42	S42	12.000	20.125	8.125	None	Two P1134
RS5403	S42	S42	13.000	22.125	9.125	None	Two P1134
RS5404	L1	L1	14.375	23.875	9.500	None	P837P920P932
RS5405	S42	L1	12.625	21.625	9.000	None	P1134
RS5406	L1	L1	17.625	30.250	12.625	None	NONE
RS5407	L1	L1	12.000	19.625	7.625	None	P837P953
RS5408	S42	S42	14.625	25.125	10.500	None	Two P1134
RS5409	LS5	LS24	12.750	20.450	7.700	None	P1326
RS5410	L1	LS38	14.500	24.375	9.875	None	P847
RS5450	L1	L1	14.375	23.875	9.500	None	P910

Rancho only engineers its shock absorbers for the applications listed in this catalog. Misapplication of Rancho shock absorber will result in reduced handling and braking ability and voids warranty. Product Specifications Subject To Change Without Notice.